

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

Harp® 134a

Revision 0
Revision date 2017-06-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Harp® 134a

REACH Registration Number 01-2119459374-33

CAS No. 811-97-2 EC No. 212-377-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company Harp International Limited

Address Gellihirion Industrial Estate

Pontypridd

Rhondda Cynon Taff

CF37 5SX UK

Web www.harpintl.com

 Telephone
 +44 (0)1443 842 255

 Fax
 +44 (0)1443 841 805

 Email
 harp@harpintl.com

Email address of the competent person

safety@harpintl.com

1.4. Emergency telephone number

Emergency telephone number +44 (0) 1270 502891 24 Hours

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC Compressed gas: H280; 1272/2008

2.2. Label elements

Hazard pictograms



Revision 0 Revision date 2017-06-21

2.2.	l ol	امد	ام ا	Δm	۱۵r	٠ŧ٥
Z.Z.	Lau	æ	- 61	еп	ш	ш

Signal Word	Warning
Hazard Statement	Compressed gas: H280 - Contains gas under pressure; may explode if heated.
Precautionary Statement:	P410+P403 - Protect from sunlight. Store in a well-ventilated place.
Storage	

2.3. Other hazards

Other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
Harp® 134a		811-97-2	212-377-0	01-2119459374-33	90 - 100%)	
(1,1,1,2-Tetrafluoroethane (HFC							
134a))							

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
Harp® 134a		811-97-2	212-377-0	01-2119459374-33	90 - 100%	Compressed gas: H280;	
(1,1,1,2-Tetrafluoroethane (HFC							
134a))							

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water.	
Skin contact	Frostbite: treat as thermal burns.	
Ingestion	Ingestion is not considered a potential route of exposure.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	Seek medical attention if irritation or symptoms persist.	

Eye contact Seek medical attention in initiation or symptoms persist. Skin contact Ingestion Ingestion Seek medical attention in initiation or symptoms persist. Frostbite: treat as thermal burns. Ingestion Ingestion Ingestion is not considered a potential route of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).		
Eye contact	Seek medical attention if irritation or symptoms persist.		
Skin contact	Seek medical attention if irritation or symptoms persist.		
Ingestion	Ingestion is not considered a potential route of exposure.		

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

This product is not flammable in air under ambient conditions of temperature and pressure. Certain mixtures of the product and air under pressure may be flammable. At high temperature:, Thermal decomposition giving toxic and corrosive products:, Gaseous hydrogen fluoride (HF)., Carbon oxides.

5.3. Advice for firefighters

Wear self contained breathing apparatus and protective clothing. Cool containers / tanks with water spray. Ensure a system for the rapid emptying of containers. In case of fire nearby, remove

Revision date 2017-06-21

5.3. Advice for firefighters		
	exposed containers.	
SECTION 6: Accidental rele	ase measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedures	
	-	area. Avoid contact with skin and eyes. Evacuate ed breathing apparatus and protective clothing.
6.2. Environmental precautions		
	Do not release into the environment.	
6.3. Methods and material for co	ontainment and cleaning up	
	Recovery: Allow to evaporate. Elimination: See chapter 13.	
6.4. Reference to other sections		
	See section 8. EXPOSURE CONTROLS / F See section 13. DISPOSAL CONSIDERATI	PERSONAL PROTECTION for further information. ONS for further information.
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handling	ng	
	Manual Handling considerations when hand	area. Avoid contact with eyes and skin. Adopt best lling, carrying and dispensing. Keep away from sources r smoke in areas where this product is used or stored. s after handling the product.
7.2. Conditions for safe storage,	including any incompatibilities	
	_ · · · · · · · · · · · · · · · · · · ·	ool, dry, well ventilated area. Store in correctly labelled tion - No smoking. Store out of direct sunlight. Storage
Suitable packaging	Stainless steel. Steel.	
7.3. Specific end use(s)		
	See section 1.2. Relevant identified uses of further information.	the substance or mixture and uses advised against for
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters		
	Occupational exposure controls.	
8.1.1. Exposure Limit Values		
Harp® 134a (1,1,1,2-Tetrafluoroethane (HFC 134a))	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 4240
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls

Revision 0 **Revision date** 2017-06-21

8.2. Exposure controls



8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection

Wear protective clothing.

measures

Approved safety goggles.

Skin protection -Handprotection

Eye / face protection

Wear suitable gloves.

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

Wear suitable respiratory equipment when necessary.

Occupational exposure controls

Keep away from food, drink and animal feedingstuffs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Gas
Colour	Colourless
Odour	Slight
Odour threshold	No data available
Freezing Point	No data available
Evaporation rate	No data available
Water solubility	No data available
Fat Solubility	No data available
Soluble in	No data available
Partition coefficient	No data available
(n-octanol/water) Partition coefficient	No data available
Autoignition temperature	
Decomposition temperature	
Vapour pressure	
Vapour density	
-	= 1.21 (H2O = 1 @ 20 °C)
Initial boiling point	
Melting point	
-	Not applicable. Not applicable.
•	••
Flammability (solid, gas)	
· ·	Not applicable.
Explosive properties	• •
Oxidising properties	
Solubility	No data available

9.2. Other information

Revision 0 Revision date 2017-06-21

9.2. Other in	nformation
---------------	------------

VOC (Volatile organic	
compounds)	
Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. The gaseous product in presence of air can form, under certain conditions of temperature and pressure, a flammable mixture.

10.2. Chemical stability

Stable under normal conditions. The gaseous product in presence of air can form, under certain conditions of temperature and pressure, a flammable mixture.

10.3. Possibility of hazardous reactions

No data is available on this product.

10.4. Conditions to avoid

Keep away from heat and sources of ignition. Avoid contact with flames and red hot metallic surfaces.

10.5. Incompatible materials

Alkaline hydroxides. Alkaline earth metals. Strong oxidising agents. Finely divided metals.

10.6. Hazardous decomposition products

At high temperature:, Thermal decomposition giving toxic and corrosive products:, Gaseous hydrogen fluoride (HF)., Carbon oxides. Decomposition temperature: >370°C.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Slightly harmful by inhalation. As with other volatile aliphatic halogenated compounds, through vapour accumulation and/or inhalation of large quantities, the product can cause:, Loss of consciousness and cardiac disorders aggravated by stress and lack of oxygen, risk of mortality.
Skin corrosion/irritation	Ejection of liquefied gas : frostbite possible.
Serious eye damage/irritation	Ejection of liquefied gas : frostbite possible.
Respiratory or skin sensitisation	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	No data available.
Reproductive toxicity	No data available.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	No data available.
Repeated or prolonged	No data available.
exposure	
44.4. Toyinglesical Information	

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

Revision date 2017-06-21

12.1. Toxicity		
	No data available	
12.2. Persistence and degradat	pility	
	Not readily biodegradable.	
12.3. Bioaccumulative potential	·	
<u> </u>		
	Does not bioaccumulate.	
Partition coefficient		
	Harp® 134a No data available	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB assessment		
	This substance is not considered to be persistent, bioaacumulating, toxic (PBT), nor very persistent, very bioaccumulating (vPvB).	
12.6. Other adverse effects		
	Global warming potential (GWP): Global warming potential with respect to CO2 = 1430 (IPCC Assessment Report 4). Ozone depletion potential: Ozone depletion potential; ODP; (R-11 = 1), Value:.	
OFOTION 42: Diamond cons		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods	7	
	Dispose of in compliance with all local and national regulations.	
Disposal methods		
	Contact a licensed waste disposal company.	
SECTION 14: Transport information		
Hazard pictograms		
	3	
14.1. UN number		
	UN3159	
14.2. UN proper shipping name	·	
	1,1,1,2-TETRAFLUOROETHANE	
14.3. Transport hazard class(es	I Programme	
ADR/RID	2	
Subsidiary risk	-	
IMDG	2.2	
Subsidiary risk	1 1 -	
IATA	2.2	
Subsidiary risk	-	
14.4. Packing group		
	T	

Packing group

Revision 0 Revision date 2017-06-21

14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for user	
	No data is available on this product.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	No data is available on this product.
ADR/RID	
Hazard ID	20
Tunnel Category	(C/E)
IMDG	
EmS Code	F-C S-V
IATA	
Packing Instruction (Cargo)	200
Maximum quantity	150 kg
Packing Instruction	200
(Passenger)	
Maximum quantity	75 kg
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessment	
	No data is available on this product.
SECTION 16: Other information	
Other information	
Text of Hazard Statements in Section 3	Compressed gas: H280 - Contains gas under pressure; may explode if heated.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.